

according to Regulation (EC) No 1907/2006

Satino Hand Sanitizer liquid 6x 500ml

Revision: 15.07.2024 Product code: 333457 Page 1 of 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Satino Hand Sanitizer liquid 6x 500ml

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Hand disinfectant

Uses advised against

Any non-intended use.

1.3. Details of the supplier of the safety data sheet

Company name: WEPA Professional GmbH Street: Rönkhauser Str. 26 Place: D-59757 Arnsberg

Telephone: +4929323070 Telefax: +49-2932-307-8040

E-mail: wepro@wepa.de

Contact person: Matthias Post Telephone: +4929323070

E-mail: satino@wepa.eu

Internet: www.wepa-professional.de

1.4. Emergency telephone Only from Malta: 112

number:

Further Information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Flam. Liq. 2; H225 Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Signal word: Danger

Pictograms:





Hazard statements

H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 Keep container tightly closed.
P280 Wear eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.



according to Regulation (EC) No 1907/2006

Satino Hand Sanitizer liquid 6x 500ml

Revision: 15.07.2024 Product code: 333457 Page 2 of 14

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container to local/regional/national/international regulations.

2.3. Other hazards

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop. The substances in the mixture (>0,1%) do not meet the PBT/vPvB criteria according to REACH, annex XIII. This product does not contain a substance (> 0,1%) that has endocrine disrupting properties with respect to humans as no components meets the criteria. This product does not contain a substance (> 0,1 %) that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name	Chemical name					
	EC No	Index No	REACH No				
	Classification (Regulation (EC	Classification (Regulation (EC) No 1272/2008)					
64-17-5	ethanol; ethyl alcohol						
	200-578-6	603-002-00-5	01-2119457610-43				
	Flam. Liq. 2; H225	5					
71-23-8	propan-1-ol; n-propanol			2,5 - 10 %			
	200-746-9	603-003-00-0	01-2119486761-29				
	Flam. Liq. 2, Eye Dam. 1, STOT SE 3; H225 H318 H336						

Full text of H and EUH statements: see section 16.

Specific Conc. Limits. M-factors and ATE

	, poomo o ono:, m tactoro una / n				
CAS No	EC No	Chemical name			
	Specific Conc. L	onc. Limits, M-factors and ATE			
64-17-5	200-578-6	ethanol; ethyl alcohol	50 - 100 %		
	inhalation: LC5	nhalation: LC50 = 124,7 mg/l (vapours); oral: LD50 = >5000 mg/kg			
71-23-8	200-746-9	200-746-9 propan-1-ol; n-propanol			
	inhalation: LC50 = > 33,8 mg/l (vapours); dermal: LD50 = > 2000 mg/kg; oral: LD50 = 8000				
	mg/kg				

Further Information

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH)

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove affected person from the danger area and lay down. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).


Remove contaminated, saturated clothing.

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. If unconscious place in recovery position and seek medical advice. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, seek medical treatment.





according to Regulation (EC) No 1907/2006

Satino Hand Sanitizer liquid 6x 500ml

Revision: 15.07.2024 Product code: 333457 Page 3 of 14

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

See sections 2 and 11

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. Alcohol resistant foam. Water spray In case of major fire and large quantities: Water spray. Alcohol resistant foam.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

In use, may form flammable/explosive vapour-air mixture.

Vapours are heavier than air and will spread at floor level.

In case of fire may be liberated: Carbon monoxide (CO). Carbon dioxide (CO2).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. Reignition possible over considerable distance.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes.

For non-emergency personnel

Remove all sources of ignition. Ventilate affected area.

Special danger of slipping by leaking/spilling product.

Wear personal protective equipment. (refer to section 8)

For emergency responders

No special measures are necessary.

6.2. Environmental precautions


Do not allow to enter into surface water or drains. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Prevent spread over a wide area (e.g. by containment or oil barriers). In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Ventilate affected area.

Treat the recovered material as prescribed in the section on waste disposal.





according to Regulation (EC) No 1907/2006

Satino Hand Sanitizer liquid 6x 500ml

Revision: 15.07.2024 Product code: 333457 Page 4 of 14

For cleaning up

Clear contaminated areas thoroughly.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes.

Wear personal protective equipment. (See section 8.)

Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking. Take precautionary measures against static discharges. Flammable vapours can accumulate in head space of closed systems. In use, may form flammable/explosive vapour-air mixture. Heating causes rise in pressure with risk of bursting.

Advice on general occupational hygiene

Always close containers tightly after the removal of product. When using do not eat, drink or smoke. Wash hands before breaks and after work. Take off contaminated clothing. Preventive skin protection with skin protection ointment.

Further information on handling

General protection and hygiene measures: refer to section 8

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep/Store only in original container. Keep container tightly closed in a cool, well-ventilated place. Protect against direct sunlight.

Ensure adequate ventilation of the storage area. Concentrated vapours are heavier than air.

Suitable material for Container: Stainless steel. (1.4301 (V2), 1.4401 (V4)); iron. solvent resistant plastics.

Unsuitable materials for Container: Aluminium. Rubber. various plastics.

Hints on joint storage

Do not store together with: Gas. Explosives. Flammable solids. Pyrophoric liquids and solids. Self-heating substances and mixtures. Substances and mixtures which, in contact with water, emit flammable gases. Oxidizing liquids. Oxidizing solids. ammonium nitrate. Self-reactive substances and mixtures. Organic peroxides. Non-combustible toxic substances. Radioactive substances. Infectious substances.

Further information on storage conditions

Recommended storage temperature: 5 - 25°C Protect against: UV-radiation/sunlight. heat. Cold.

7.3. Specific end use(s)

See section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



according to Regulation (EC) No 1907/2006

Satino Hand Sanitizer liquid 6x 500ml

Revision: 15.07.2024 Product code: 333457 Page 5 of 14

DNEL/DMEL values

CAS No	Name of agent			
DNEL type		Exposure route	Effect	Value
64-17-5	ethanol; ethyl alcohol			
Worker DNEL,	acute	inhalation	local	1900 mg/m³
Worker DNEL,	long-term	dermal	systemic	343 mg/kg bw/day
Worker DNEL,	long-term	inhalation	systemic	950 mg/m³
Consumer DN	EL, acute	inhalation	local	950 mg/m³
Consumer DNEL, long-term		dermal	systemic	206 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	114 mg/m³
Consumer DNEL, long-term		oral	systemic	87 mg/kg bw/day
71-23-8 propan-1-ol; n-propanol				
Worker DNEL,	Worker DNEL, long-term		systemic	268 mg/m³
Worker DNEL, acute		inhalation	systemic	1723 mg/m³
Worker DNEL, long-term		dermal	systemic	136 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	80 mg/m³
Consumer DN	Consumer DNEL, acute		systemic	1036 mg/m³
Consumer DNEL, long-term		dermal	systemic	81 mg/kg bw/day

PNEC values

CACNE	Name of anoth	
CAS No	Name of agent	
Environmental	compartment	Value
64-17-5	ethanol; ethyl alcohol	
Freshwater		0,96 mg/l
Freshwater (int	ermittent releases)	2,75 mg/l
Marine water		0,79 mg/l
Marine water (i	ntermittent releases)	2,75 mg/l
Freshwater sed	liment	3,6 mg/kg
Marine sediment		2,9 mg/kg
Secondary poisoning		0,72 mg/kg
Micro-organisms in sewage treatment plants (STP)		580 mg/l
Soil		0,63 mg/kg
71-23-8	propan-1-ol; n-propanol	
Freshwater		6,83 mg/l
Freshwater (intermittent releases)		10 mg/l
Marine water		0,683 mg/l
Freshwater sediment		27,5 mg/kg
Marine sediment		2,75 mg/kg
Micro-organisms in sewage treatment plants (STP) 96 mg/l		
Soil 1,49 mg/kg		

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls



according to Regulation (EC) No 1907/2006

Satino Hand Sanitizer liquid 6x 500ml

Revision: 15.07.2024 Product code: 333457 Page 6 of 14





Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Provide adequate ventilation.

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Individual protection measures, such as personal protective equipment

Eye/face protection

Tightly sealed safety glasses EN ISO 16321-1:2022

Hand protection

In case of prolonged or frequently repeated skin contact:

Tested protective gloves are to be worn:

Suitable material:

Butyl rubber.

Thickness of glove material: 0,5 mm

Breakthrough time >=480 min, Penetration time (maximum wearing period): 160 min)

FKM (fluororubber).

Thickness of glove material: 0.5 mm

Breakthrough time >=480 min, Penetration time (maximum wearing period): 160 min)

CR (polychloroprenes, Chloroprene rubber).

Thickness of glove material: 0,4 mm,

Breakthrough time >=120 min, Penetration time (maximum wearing period): 40 min)

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

The selected protective gloves have to satisfy the specifications of EU Directive EC/ 2016/425 and the standard EN 374 derived from it.

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

Skin protection

Protective clothing. (fire retardant.)

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

Insufficient ventilation

Exceeding exposure limit values

Generation/formation of aerosols

Suitable respiratory protection apparatus:

Gas filter unit (DIN EN 141). Type:: A

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid



according to Regulation (EC) No 1907/2006

Satino Hand Sanitizer liquid 6x 500ml

Revision: 15.07.2024 Product code: 333457 Page 7 of 14

Colour: colourless Odour: alcohol-like Odour threshold: not determined

Melting point/freezing point: not determined 78 °C

Boiling point or initial boiling point and

boiling range:

Flammability: not determined Lower explosion limits: 2.1 vol. % Upper explosion limits: 15 vol. % Flash point: 13 °C 425 °C Auto-ignition temperature: Decomposition temperature: not relevant pH-Value (at 20 °C): Viscosity / kinematic: not determined Water solubility: complete miscible

Solubility in other solvents

not determined

Dissolution rate: not relevant Partition coefficient n-octanol/water: SECTION 12: Ecological information Dispersion stability: not relevant Vapour pressure: 59 hPa

(at 20 °C)

Density (at 20 °C): 0,89 g/cm³ Bulk density: not relevant Relative vapour density: not determined Particle characteristics: not relevant

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop. Vapours can travel considerable distances to a source of ignition where they can ignite, flash back, or explode.

Self-ignition temperature

not determined Gas:

Oxidizing properties

none

Other safety characteristics

Evaporation rate: not determined Solvent separation test: not determined Organic solvents: 67 % Solvent content: Solid content: not determined Sublimation point: not relevant Softening point: not relevant Pour point: not relevant Viscosity / dynamic: not determined not determined Flow time:

Further Information

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.



according to Regulation (EC) No 1907/2006

Satino Hand Sanitizer liquid 6x 500ml

Revision: 15.07.2024 Product code: 333457 Page 8 of 14

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Explosion risk in contact with: Oxidising agent, strong. nitric acid. Hydrogenium peroxide. Exothermic reactions with: Alkali metals. Alkaline earth metals. Reducing agents, strong.

10.4. Conditions to avoid

Keep away from heat. Protect against direct sunlight. Protect from moisture.

In use may form flammable/explosive vapour-air mixture.

Heating causes rise in pressure with risk of bursting. Recommended storage temperature: < 40 °C

10.5. Incompatible materials

Strong acid. Oxidizing agents. Alkali metals. Alkaline earth metals. Peroxides. phosphorus oxides. Nitrogen oxides (NOx). Hydrogenium peroxide. Nitric acid. hydrochloric acid. Sulfuric acid. Perchlorates. Chromium oxides. Acid chlorides.

10.6. Hazardous decomposition products

Does not decompose when used for intended uses

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicocinetics, metabolism and distribution

No data available.

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
64-17-5	ethanol; ethyl alcohol					
	oral	LD50 mg/kg	>5000	Rat	REACH Dossier	
	inhalation (4 h) vapour	LC50 mg/l	124,7	Rat	REACH Dossier	
71-23-8	propan-1-ol; n-propanol					
	oral	LD50 mg/kg	8000	Rat	REACH Dossier	OECD 401
	dermal	LD50 mg/kg	> 2000	Rabbit	REACH Dossier	OECD 402
	inhalation (4 h) vapour	LC50 mg/l	> 33,8	Rat	REACH Dossier	OECD 403

Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye irritation. (On basis of test data)

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Test results on a 20% propan-1-ol; n-propanol solution according to OECD 437: Eye Irrit. 2.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction



according to Regulation (EC) No 1907/2006

Satino Hand Sanitizer liquid 6x 500ml

Revision: 15.07.2024 Product code: 333457 Page 9 of 14

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance (> 0,1%) that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Other information

No data available.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

Ethanol (CAS-No.: 64-17-5):

Acute plant toxicity: EC50 (6d) = 11800 mg/l (Allium cepa, non-guideline study)

CAS No	Chemical name	Chemical name					
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
64-17-5	ethanol; ethyl alcohol						
	Acute fish toxicity	LC50 mg/l	14200	96 h	Pimephales promelas	REACH Dossier	
	Acute algae toxicity	ErC50	275 mg/l	72 h	Chlorella vulgaris	REACH Dossier	
	Acute crustacea toxicity	EC50 mg/l	5012	48 h	Ceriodaphnia dubia	REACH Dossier	
	Crustacea toxicity	NOEC mg/l	(9,6)	9 d	Daphnia magna	REACH Dossier	
71-23-8	propan-1-ol; n-propanol						
	Acute fish toxicity	LC50 mg/l	4555	96 h	Pimephales promelas	REACH Dossier	
	Acute algae toxicity	ErC50 mg/l	9170		Pseudokirchnerella subcapitata (48h)	REACH Dossier	
	Acute crustacea toxicity	EC50 mg/l	1000	48 h	Gammarus pulex	REACH Dossier	
	Crustacea toxicity	NOEC mg/l	>100	21 d	Daphnia magna	REACH Dossier	

12.2. Persistence and degradability

Ethanol (CAS-No.: 64-17-5):

Chemical Oyxgen Demand (COD): CSB = 1900 mg/g Biochemical oxygen demand (BOD): BSB5 = 1000 mg/g

Abiotic degradation in water: Hydrolysis t 1/2 (20°C, pH 7) = > 1 - < 36 a. Abiotic degradation in Air t 1/2 (Air.) = 38 d; 1/2 (Air. 100 ppm NO2) = 11,5 h



according to Regulation (EC) No 1907/2006

Satino Hand Sanitizer liquid 6x 500ml

Revision: 15.07.2024 Product code: 333457 Page 10 of 14

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation		-	-
64-17-5	ethanol; ethyl alcohol			
	other guideline:	84%	20	REACH Dossier
	Biodegradable.			
71-23-8	propan-1-ol; n-propanol			
	-	75%	20	REACH Dossier
	Biodegradable.		-	

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	ethanol; ethyl alcohol	-0,31
71-23-8	propan-1-ol; n-propanol	0,2

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The aforementioned statement applies to substances contained in the product with a minimum content of 0.1%.

12.7. Other adverse effects

No data available

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation. Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. According to (EWC) European Waste Catalogue, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

List of Wastes Code - residues/unused products

070604 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; other organic solvents, washing liquids and mother

liquors; hazardous waste

List of Wastes Code - used product

070604 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; other organic solvents, washing liquids and mother

liquors; hazardous waste



according to Regulation (EC) No 1907/2006

Satino Hand Sanitizer liquid 6x 500ml

Revision: 15.07.2024 Product code: 333457 Page 11 of 14

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 1987

14.2. UN proper shipping name: ALCOHOLS, N.O.S. (ethanol; ethyl alcohol, propan-1-ol; n-propanol)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3



Classification code: F1

Special Provisions: 274 601 640D

Limited quantity: 1 L
Excepted quantity: E2
Transport category: 2
Hazard No: 33
Tunnel restriction code: D/E

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1987

14.2. UN proper shipping name: ALCOHOLS, N.O.S. (ethanol; ethyl alcohol, propan-1-ol; n-propanol)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3



Classification code: F1

Special Provisions: 274 601 640D

Limited quantity: 1 L
Excepted quantity: E2

Marine transport (IMDG)

14.1. UN number or ID number: UN 1987

14.2. UN proper shipping name: ALCOHOLS, N.O.S. (ethanol; ethyl alcohol, propan-1-ol; n-propanol)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3



Marine pollutant: NO
Special Provisions: 274
Limited quantity: 1 L



according to Regulation (EC) No 1907/2006

Satino Hand Sanitizer liquid 6x 500ml

Revision: 15.07.2024 Product code: 333457 Page 12 of 14

Excepted quantity: E2
EmS: F-E, S-D

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1987

14.2. UN proper shipping name: ALCOHOLS, N.O.S. (ethanol; ethyl alcohol, propan-1-ol; n-propanol)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3



Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

A3 A180

1 L

Y341

Excepted quantity:

IATA-packing instructions - Passenger:353IATA-max. quantity - Passenger:5 LIATA-packing instructions - Cargo:364IATA-max. quantity - Cargo:60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

refer to section 6 - 8

14.7. Maritime transport in bulk according to IMO instruments

not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

Directive 2010/75/EU on industrial not determined

emissions:

Directive 2004/42/EC on VOC in not determined

paints and varnishes:

Information according to Directive P5c FLAMMABLE LIQUIDS

2012/18/EU (SEVESO III):

Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878)

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII, No (mixture): 3, 40

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

ethanol; ethyl alcohol propan-1-ol; n-propanol



according to Regulation (EC) No 1907/2006

Satino Hand Sanitizer liquid 6x 500ml

Revision: 15.07.2024 Product code: 333457 Page 13 of 14

SECTION 16: Other information

Changes

Rev. 1,0; Initial release: 15.07.2024

Abbreviations and acronyms

Flam. Liq. 2: Flammable liquids, hazard category 2 Eye Dam. 1: Serious eye damage, hazard category 1

Eye Irrit. 2: Eye irritation, hazard category 2

STOT SE 3: Specific target organ toxicity - single exposure, hazard category 3

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement

concerning the International Carriage of Dangerous Goods by Road)

CAS: Chemical Abstracts Service

CLP: Classification, Labelling and Packaging of substances and mixtures

DNEL: Derived No Effect Level

d: day(s)

EINECS: European INventory of Existing Commercial chemical Substances

ELINCS: European LIst of Notified Chemical Substances

ECHA: European Chemicals Agency EWC: European Waste Catalogue

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

h: hour

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

NOAEC: No observed adverse effect concentration

NLP: No-Longer Polymers

N/A: not applicable

OECD: Organisation for Economic Co-operation and Development

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

REACH: Registration, Evaluation, Authorisation of Chemicals

SVHC: substance of very high concern TRGS: Technische Regeln für Gefahrstoffe

UN: United Nations

VOC: Volatile Organic Compounds WGK: Water Hazard Class (Germany)

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Flam. Liq. 2; H225	On basis of test data
Eye Irrit. 2; H319	On basis of test data

Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.



according to Regulation (EC) No 1907/2006

Satino Hand Sanitizer liquid 6x 500ml

Revision: 15.07.2024 Product code: 333457 Page 14 of 14

H318 Causes serious eye damage.
 H319 Causes serious eye irritation.
 H336 May cause drowsiness or dizziness.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)